

Sanitary Facilities - Part 2.

Allamakee County, Iowa

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
40D: Fayette-----	95	Somewhat limited Too clayey Slope	0.50 0.01	Somewhat limited Slope	0.01	Somewhat limited Too clayey Slope	0.50 0.01
41B: Sparta-----	100	Very limited Seepage Too Sandy	1.00 1.00	Very limited Seepage	1.00	Very limited Too Sandy Seepage	1.00 1.00
41C: Sparta-----	100	Very limited Seepage Too Sandy	1.00 1.00	Very limited Seepage	1.00	Very limited Too Sandy Seepage	1.00 1.00
41D: Sparta-----	100	Very limited Seepage Too Sandy Slope	1.00 1.00 0.63	Very limited Seepage Slope	1.00 0.63	Very limited Too Sandy Seepage Slope	1.00 1.00 0.63
63B: Chelsea-----	95	Very limited Seepage Too Sandy	1.00 1.00	Very limited Seepage	1.00	Very limited Seepage Too Sandy	1.00 0.50
63C: Chelsea-----	95	Very limited Seepage Too Sandy	1.00 1.00	Very limited Seepage	1.00	Very limited Seepage Too Sandy	1.00 0.50
63D: Chelsea-----	95	Very limited Seepage Too Sandy Slope	1.00 1.00 0.63	Very limited Seepage Slope	1.00 0.63	Very limited Seepage Slope Too Sandy	1.00 0.63 0.50
63E: Chelsea-----	90	Very limited Seepage Too Sandy Slope	1.00 1.00 1.00	Very limited Seepage Slope	1.00 1.00	Very limited Seepage Slope Too Sandy	1.00 1.00 0.50

Sanitary Facilities - Part 2.

Allamakee County, Iowa

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
63F: Chelsea-----	95	Very limited Slope Seepage Too Sandy	1.00 1.00 1.00	Very limited Slope Seepage	1.00 1.00	Very limited Slope Seepage Too Sandy	1.00 1.00 0.50
63G: Chelsea-----	95	Very limited Slope Seepage Too Sandy	1.00 1.00 1.00	Very limited Slope Seepage	1.00 1.00	Very limited Slope Seepage Too Sandy	1.00 1.00 0.50
85: Eitzen-----	95	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00	Not limited	
85B: Eitzen-----	95	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00	Not limited	
98: Huntsville-----	95	Very limited Flooding	1.00	Very limited Flooding	1.00	Not limited	
98B: Huntsville-----	95	Very limited Flooding	1.00	Very limited Flooding	1.00	Not limited	
118: Garwin-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
119B: Muscatine-----	95	Very limited Depth to saturated zone Too clayey	1.00 0.50	Very limited Depth to saturated zone	1.00	Somewhat limited Too clayey Depth to saturated zone	0.50 0.09
120B: Tama-----	95	Somewhat limited Too clayey	0.50	Not limited		Somewhat limited Too clayey	0.50

Sanitary Facilities - Part 2.

Allamakee County, Iowa

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
120C: Tama-----	95	Somewhat limited Too clayey	0.50	Not limited		Somewhat limited Too clayey	0.50
129B: Arenzville-----	50	Very limited Flooding	1.00	Very limited Flooding	1.00	Not limited	
Chaseburg-----	45	Very limited Flooding	1.00	Very limited Flooding	1.00	Not limited	
140B: Sparta-----	100	Very limited Seepage Too Sandy	1.00 1.00	Very limited Seepage	1.00	Somewhat limited Seepage Too Sandy	0.50 0.50
140C: Sparta-----	100	Very limited Seepage Too Sandy	1.00 1.00	Very limited Seepage	1.00	Somewhat limited Seepage Too Sandy	0.50 0.50
142: Chaseburg-----	95	Very limited Flooding	1.00	Very limited Flooding	1.00	Not limited	
162B: Downs-----	90	Somewhat limited Too clayey	0.50	Not limited		Somewhat limited Too clayey	0.50
162B2: Downs-----	90	Somewhat limited Too clayey	0.50	Not limited		Somewhat limited Too clayey	0.50
162C: Downs-----	85	Somewhat limited Too clayey	0.50	Not limited		Somewhat limited Too clayey	0.50
162C2: Downs-----	85	Somewhat limited Too clayey	0.50	Not limited		Somewhat limited Too clayey	0.50
162D: Downs-----	85	Somewhat limited Slope Too clayey	0.63 0.50	Somewhat limited Slope	0.63	Somewhat limited Slope Too clayey	0.63 0.50

Sanitary Facilities - Part 2.

Allamakee County, Iowa

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
162D2: Downs-----	85	Somewhat limited Slope Too clayey	0.63 0.50	Somewhat limited Slope	0.63	Somewhat limited Slope Too clayey	0.63 0.50
162E2: Downs-----	85	Very limited Slope Too clayey	1.00 0.50	Very limited Slope	1.00	Very limited Slope Too clayey	1.00 0.50
163B: Fayette-----	90	Somewhat limited Too clayey	0.50	Not limited		Somewhat limited Too clayey	0.50
163B2: Fayette-----	90	Somewhat limited Too clayey	0.50	Not limited		Somewhat limited Too clayey	0.50
163C: Fayette-----	85	Somewhat limited Too clayey	0.50	Not limited		Somewhat limited Too clayey	0.50
163C2: Fayette-----	85	Somewhat limited Too clayey	0.50	Not limited		Somewhat limited Too clayey	0.50
163D: Fayette-----	85	Somewhat limited Slope Too clayey	0.63 0.50	Somewhat limited Slope	0.63	Somewhat limited Slope Too clayey	0.63 0.50
163D2: Fayette-----	85	Somewhat limited Slope Too clayey	0.63 0.50	Somewhat limited Slope	0.63	Somewhat limited Slope Too clayey	0.63 0.50
163E: Fayette-----	85	Very limited Slope Too clayey	1.00 0.50	Very limited Slope	1.00	Very limited Slope Too clayey	1.00 0.50
163E2: Fayette-----	85	Very limited Slope Too clayey	1.00 0.50	Very limited Slope	1.00	Very limited Slope Too clayey	1.00 0.50

FIELD OFFICE TECHNICAL GUIDE Sec. II  
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 2.

Allamakee County, Iowa

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
163F: Fayette-----	85	Very limited Slope Too clayey	1.00 0.50	Very limited Slope	1.00	Very limited Slope Too clayey	1.00 0.50
163G: Fayette-----	85	Very limited Slope Too clayey	1.00 0.50	Very limited Slope	1.00	Very limited Slope Too clayey	1.00 0.50
178B: Waukee-----	100	Very limited Seepage Too Sandy	1.00 1.00	Very limited Seepage	1.00	Very limited Too Sandy Seepage	1.00 1.00
196B: Volney-----	95	Very limited Flooding Seepage  Content of large stones	1.00 1.00 1.00	Very limited Flooding Seepage	1.00 1.00	Very limited Seepage Content of large stones	1.00 1.00
196C: Volney-----	100	Very limited Flooding Seepage  Content of large stones	1.00 1.00 1.00	Very limited Flooding Seepage	1.00 1.00	Very limited Seepage Content of large stones	1.00 1.00
206C: Shullsburg-----	95	Very limited Depth to saturated zone Depth to bedrock  Too clayey	1.00 1.00 0.50	Very limited Depth to saturated zone Depth to bedrock	1.00 1.00	Very limited Depth to bedrock  Depth to saturated zone Too clayey	1.00 0.86 0.50
210E: Boone-----	95	Very limited Depth to bedrock Too Sandy Slope	1.00 1.00 0.96	Very limited Seepage Depth to bedrock Slope	1.00 1.00 0.96	Very limited Depth to bedrock Seepage Slope Too Sandy	1.00 1.00 0.96 0.50

FIELD OFFICE TECHNICAL GUIDE Sec. II  
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 2.

Allamakee County, Iowa

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
210F: Boone-----	95	Very limited Slope Depth to bedrock Too Sandy	1.00 1.00 1.00	Very limited Slope Seepage Depth to bedrock	1.00 1.00 1.00	Very limited Depth to bedrock Slope Seepage Too Sandy	1.00 1.00 1.00 0.50
210G: Boone-----	95	Very limited Slope Depth to bedrock Too Sandy	1.00 1.00 1.00	Very limited Slope Seepage Depth to bedrock	1.00 1.00 1.00	Very limited Depth to bedrock Slope Seepage Too Sandy	1.00 1.00 1.00 0.50
249C: Zwingle-----	95	Very limited Depth to saturated zone Too clayey Seepage	1.00 1.00 1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Too clayey Hard to compact	1.00 1.00 1.00
291: Atterberry-----	95	Very limited Depth to saturated zone Too clayey	1.00 0.50	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone Too clayey	0.86 0.50
320: Arenzville-----	95	Very limited Flooding	1.00	Very limited Flooding	1.00	Not limited	
478G: Nordness-----	50	Very limited Slope Depth to bedrock Seepage	1.00 1.00 1.00	Very limited Slope Depth to bedrock	1.00 1.00	Very limited Depth to bedrock Slope	1.00 1.00
Rock Outcrop-----	40	Not rated		Not rated		Not rated	

FIELD OFFICE TECHNICAL GUIDE Sec. II  
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 2.

Allamakee County, Iowa

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
484: Lawson-----	95	Very limited Flooding	1.00	Very limited Flooding	1.00	Somewhat limited Depth to saturated zone	0.86
		Depth to saturated zone	1.00	Depth to saturated zone	1.00		
485: Spillville-----	95	Very limited Flooding	1.00	Very limited Flooding	1.00	Not limited	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00		
		Seepage	1.00				
487B: Otter-----	50	Very limited Flooding	1.00	Very limited Flooding	1.00	Very limited Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00		
Worthen-----	45	Not limited		Not limited		Not limited	
490: Caneek-----	95	Very limited Flooding	1.00	Very limited Flooding	1.00	Very limited Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00		
499C: Nordness-----	95	Very limited Depth to bedrock	1.00	Very limited Depth to bedrock	1.00	Very limited Depth to bedrock	1.00
		Seepage	1.00				
499D: Nordness-----	95	Very limited Depth to bedrock	1.00	Very limited Depth to bedrock	1.00	Very limited Depth to bedrock	1.00
		Seepage	1.00	Slope	0.63	Slope	0.63
		Slope	0.63				
499D2: Nordness-----	95	Very limited Depth to bedrock	1.00	Very limited Depth to bedrock	1.00	Very limited Depth to bedrock	1.00
		Seepage	1.00	Slope	0.63	Slope	0.63
		Slope	0.63				

Sanitary Facilities - Part 2.

Allamakee County, Iowa

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
499E: Nordness-----	95	Very limited Depth to bedrock Slope Seepage	1.00 1.00 1.00	Very limited Depth to bedrock Slope	1.00 1.00	Very limited Depth to bedrock Slope	1.00 1.00
499E2: Nordness-----	90	Very limited Depth to bedrock Slope Seepage	1.00 1.00 1.00	Very limited Depth to bedrock Slope	1.00 1.00	Very limited Depth to bedrock Slope	1.00 1.00
499F: Nordness-----	90	Very limited Slope Depth to bedrock Seepage	1.00 1.00 1.00	Very limited Slope Depth to bedrock	1.00 1.00	Very limited Depth to bedrock Slope	1.00 1.00
499G: Nordness-----	95	Very limited Slope Depth to bedrock Seepage	1.00 1.00 1.00	Very limited Slope Depth to bedrock	1.00 1.00	Very limited Depth to bedrock Slope	1.00 1.00
589: Otter-----	90	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone	1.00
703C: Dubuque-----	90	Very limited Depth to bedrock Seepage Too clayey	1.00 1.00 0.50	Very limited Depth to bedrock Seepage	1.00 1.00	Very limited Depth to bedrock Too clayey	1.00 0.50
703C2: Dubuque-----	95	Very limited Depth to bedrock Seepage Too clayey	1.00 1.00 0.50	Very limited Depth to bedrock Seepage	1.00 1.00	Very limited Depth to bedrock Too clayey	1.00 0.50



FIELD OFFICE TECHNICAL GUIDE Sec. II  
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 2.

Allamakee County, Iowa

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
703D: Dubuque-----	95	Very limited		Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00	Depth to bedrock	1.00
		Seepage	1.00	Seepage	1.00	Slope	0.63
		Slope	0.63	Slope	0.63	Too clayey	0.50
		Too clayey	0.50				
703D2: Dubuque-----	90	Very limited		Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00	Depth to bedrock	1.00
		Seepage	1.00	Seepage	1.00	Slope	0.63
		Slope	0.63	Slope	0.63	Too clayey	0.50
		Too clayey	0.50				
703E: Dubuque-----	90	Very limited		Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	1.00	Slope	1.00	Slope	1.00
		Seepage	1.00	Seepage	1.00	Too clayey	0.50
		Too clayey	0.50				
703E2: Dubuque-----	85	Very limited		Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	1.00	Slope	1.00	Slope	1.00
		Seepage	1.00	Seepage	1.00	Too clayey	0.50
		Too clayey	0.50				
703F: Dubuque-----	90	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00	Slope	1.00
		Seepage	1.00	Seepage	1.00	Too clayey	0.50
		Too clayey	0.50				
721C: Massbach-----	90	Very limited		Very limited		Somewhat limited	
		Depth to	1.00	Depth to	1.00	Too clayey	0.50
		saturated zone		saturated zone			
		Depth to bedrock	1.00	Depth to bedrock	0.42	Depth to bedrock	0.42
		Too clayey	0.50				

FIELD OFFICE TECHNICAL GUIDE Sec. II  
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 2.

Allamakee County, Iowa

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
721D: Massbach-----	90	Very limited Depth to saturated zone Depth to bedrock Slope Too clayey	1.00  1.00 0.63 0.50	Very limited Depth to saturated zone Slope Depth to bedrock	1.00  0.63 0.42	Somewhat limited Slope Too clayey Depth to bedrock	0.63  0.50 0.42
740C: Hawick-----	95	Very limited Seepage Too Sandy	1.00 1.00	Very limited Seepage	1.00	Very limited Too Sandy Seepage Gravel content	1.00 1.00 0.01
740G: Hawick-----	95	Very limited Slope Seepage Too Sandy	1.00 1.00 1.00	Very limited Slope Seepage	1.00 1.00	Very limited Slope Too Sandy Seepage Gravel content	1.00 1.00 1.00 0.01
778B: Sattre-----	90	Very limited Seepage Too Sandy	1.00 1.00	Very limited Seepage	1.00	Very limited Too Sandy Seepage	1.00 1.00
793B: Bertrand-----	90	Not limited		Not limited		Not limited	
793C: Bertrand-----	90	Not limited		Not limited		Not limited	
793D2: Bertrand-----	95	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63
793E: Bertrand-----	95	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
826: Rowley-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.86

FIELD OFFICE TECHNICAL GUIDE Sec. II  
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 2.

Allamakee County, Iowa

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
837C: Village-----	90	Somewhat limited Too clayey	0.50	Not limited		Somewhat limited Too clayey	0.50
837C2: Village-----	90	Somewhat limited Too clayey	0.50	Not limited		Somewhat limited Too clayey	0.50
837D: Village-----	90	Somewhat limited Slope Too clayey	0.63 0.50	Somewhat limited Slope	0.63	Somewhat limited Slope Too clayey	0.63 0.50
837D2: Village-----	90	Somewhat limited Slope Too clayey	0.63 0.50	Somewhat limited Slope	0.63	Somewhat limited Slope Too clayey	0.63 0.50
837E: Village-----	90	Very limited Slope Too clayey	1.00 0.50	Very limited Slope	1.00	Very limited Slope Too clayey	1.00 0.50
837E2: Village-----	85	Very limited Slope Too clayey	1.00 0.50	Very limited Slope	1.00	Very limited Slope Too clayey	1.00 0.50
837F: Village-----	90	Very limited Slope Too clayey	1.00 0.50	Very limited Slope	1.00	Very limited Slope Too clayey	1.00 0.50
838C2: Allamakee-----	90	Very limited Too clayey	1.00	Not limited		Very limited Too clayey Hard to compact	1.00 1.00
838D: Allamakee-----	90	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63
838D2: Allamakee-----	90	Very limited Too clayey Slope	1.00 0.63	Somewhat limited Slope	0.63	Very limited Too clayey Hard to compact Slope	1.00 1.00 0.63

Sanitary Facilities - Part 2.

Allamakee County, Iowa

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
838E2: Allamakee-----	85	Very limited Too clayey Slope	1.00 1.00	Very limited Slope	1.00	Very limited Too clayey Slope Hard to compact	1.00 1.00 1.00
840E: Lacrescent-----	90	Very limited Slope Seepage  Content of large stones	1.00 1.00 0.68	Very limited Slope Seepage	1.00 1.00	Very limited Slope Content of large stones Seepage	1.00 0.68 0.21
840F: Lacrescent-----	90	Very limited Slope Seepage  Content of large stones	1.00 1.00 0.68	Very limited Slope Seepage	1.00 1.00	Very limited Slope Content of large stones Seepage	1.00 0.68 0.21
840G: Lacrescent-----	90	Very limited Slope Seepage  Content of large stones	1.00 1.00 0.68	Very limited Slope Seepage	1.00 1.00	Very limited Slope Content of large stones Seepage	1.00 0.68 0.21
841G: Rock Outcrop-----	50	Not rated		Not rated		Not rated	
Boone-----	35	Very limited Slope Depth to bedrock Too Sandy	1.00 1.00 1.00	Very limited Slope Seepage Depth to bedrock	1.00 1.00 1.00	Very limited Depth to bedrock Slope Seepage Too Sandy	1.00 1.00 1.00 0.50

Sanitary Facilities - Part 2.

Allamakee County, Iowa

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
843: Elon-----	95	Very limited Flooding	1.00	Very limited Flooding	1.00	Somewhat limited Depth to saturated zone	0.09
		Depth to saturated zone	1.00	Depth to saturated zone	1.00		
861D: Yellowriver-----	85	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63
861D2: Yellowriver-----	90	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63
861E: Yellowriver-----	85	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
861E2: Yellowriver-----	90	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
861F: Yellowriver-----	90	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
861G: Yellowriver-----	95	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
862D: Churchtown-----	90	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63
		Too clayey	0.50			Too clayey	0.50
862D2: Churchtown-----	90	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63
		Too clayey	0.50			Too clayey	0.50
862E: Churchtown-----	85	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
		Too clayey	0.50			Too clayey	0.50

FIELD OFFICE TECHNICAL GUIDE Sec. II  
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 2.

Allamakee County, Iowa

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
862E2: Churchtown-----	85	Very limited Slope Too clayey	1.00 0.50	Very limited Slope	1.00	Very limited Slope Too clayey	1.00 0.50
862F: Churchtown-----	90	Very limited Slope Too clayey	1.00 0.50	Very limited Slope	1.00	Very limited Slope Too clayey	1.00 0.50
903C2: Frankville-----	90	Very limited Depth to bedrock Seepage Too clayey	1.00 1.00 0.50	Very limited Depth to bedrock Seepage	1.00 1.00	Very limited Depth to bedrock Too clayey	1.00 0.50
903D: Frankville-----	90	Very limited Depth to bedrock Seepage Slope Too clayey	1.00 1.00 0.63 0.50	Very limited Depth to bedrock Seepage Slope	1.00 1.00 0.63	Very limited Depth to bedrock Slope Too clayey	1.00 0.63 0.50
903D2: Frankville-----	90	Very limited Depth to bedrock Seepage Slope Too clayey	1.00 1.00 0.63 0.50	Very limited Depth to bedrock Seepage Slope	1.00 1.00 0.63	Very limited Depth to bedrock Slope Too clayey	1.00 0.63 0.50
903E2: Frankville-----	85	Very limited Depth to bedrock Slope Seepage Too clayey	1.00 1.00 1.00 0.50	Very limited Depth to bedrock Slope Seepage	1.00 1.00 1.00	Very limited Depth to bedrock Slope Too clayey	1.00 1.00 0.50
912C: Paintcreek-----	85	Very limited Too clayey	1.00	Not limited		Very limited Too clayey	1.00
912D: Paintcreek-----	90	Very limited Too clayey Slope	1.00 0.63	Somewhat limited Slope	0.63	Very limited Too clayey Slope	1.00 0.63

FIELD OFFICE TECHNICAL GUIDE Sec. II  
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 2.

Allamakee County, Iowa

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
912D2: Paintcreek-----	90	Very limited Too clayey Slope	1.00 0.63	Somewhat limited Slope	0.63	Very limited Too clayey Slope	1.00 0.63
912E: Paintcreek-----	90	Very limited Too clayey Slope	1.00 1.00	Very limited Slope	1.00	Very limited Too clayey Slope	1.00 1.00
912E2: Paintcreek-----	90	Very limited Too clayey Slope	1.00 1.00	Very limited Slope	1.00	Very limited Too clayey Slope	1.00 1.00
912F: Paintcreek-----	95	Very limited Slope Too clayey	1.00 1.00	Very limited Slope	1.00	Very limited Slope Too clayey	1.00 1.00
930: Orion-----	95	Very limited Flooding  Depth to saturated zone	1.00 1.00	Very limited Flooding  Depth to saturated zone	1.00 1.00	Somewhat limited Depth to saturated zone	0.86
951G: Medary-----	100	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
977: Richwood-----	95	Not limited		Not limited		Not limited	
977B: Richwood-----	95	Not limited		Not limited		Not limited	
978B: Festina-----	95	Not limited		Not limited		Not limited	
978C: Festina-----	95	Not limited		Not limited		Not limited	
981B: Worthen-----	90	Not limited		Not limited		Not limited	

Sanitary Facilities - Part 2.

Allamakee County, Iowa

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
1120D: Lycurgus-----	85	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63
1120E: Lycurgus-----	90	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
1120F: Lycurgus-----	90	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
1490: Caneek-----	95	Very limited Flooding	1.00	Very limited Flooding	1.00	Very limited Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00		
1496: Arenzville-----	45	Very limited Flooding	1.00	Very limited Flooding	1.00	Not limited	
Volney-----	25	Very limited Flooding	1.00	Very limited Flooding	1.00	Very limited Seepage	1.00
		Seepage	1.00	Seepage	1.00	Content of large stones	1.00
		Content of large stones	1.00				
1496B: Arenzville-----	45	Very limited Flooding	1.00	Very limited Flooding	1.00	Not limited	
Volney-----	30	Very limited Flooding	1.00	Very limited Flooding	1.00	Very limited Seepage	1.00
		Seepage	1.00	Seepage	1.00	Content of large stones	1.00
		Content of large stones	1.00				
1793G: Bertrand-----	60	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00



Sanitary Facilities - Part 2.

Allamakee County, Iowa

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Chelsea-----	30	Very limited Slope Seepage Too Sandy	1.00 1.00 1.00	Very limited Slope Seepage	1.00 1.00	Very limited Slope Seepage Too Sandy	1.00 1.00 0.50
2670: Ion-----	95	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00	Not limited	
5010: Pits, Sand And Gravel-----	100	Not rated		Not rated		Not rated	
5030: Pits, Limestone Quarry-----	100	Not rated		Not rated		Not rated	
5040: Orthents, Loamy-----	100	Not rated		Not rated		Not rated	
w: Water-----	100	Not rated		Not rated		Not rated	